APPLICATION: TEST CODE

APPLICATION: TEST CODE

APPLICATION: TEST CODE


SET TEST CASE


200

TROUTS

202

F13.2










FIG. 3C





```
<?xml version="1.0" standalone="yes"?>
   <!DOCTYPE rootreport [
<!ELEMENT rootreport
                                  (toolreport+)
 <!ELEMENT toolreport
                                  (testarea+, toolname, tooldescription,
                                   systeminfo, toolreportcustom*, testcase+,
                                  datestamp?, author?, executioner?, executiontime?)>
   <!ELEMENT testarea
                                  (#PCDATA)
   <!ELEMENT toolname
                                  (#PCDATA)
   <!ELEMENT tooldescription
                                  (#PCDATA)
   <!ELEMENT toolreportcustom
                                  (#PCDATA)
   <!ATTLIST toolreportcustom
<!ELEMENT datestamp
                                  key CDATA
                                                 #REQUIRED
                                  (#PCDATA)
   <!ELEMENT author
                                  (#PCDATA)
   <!ELEMENT executioner
                                  (#PCDATA)
   <!ELEMENT executiontime
                                  (#PCDATA)
   <!ELEMENT testcase
                                  (testcasecustom*, description, result, bugid*,
                                  notes?, testcase*)
   <!ELEMENT testcasecustom
                                  (#PCDATA)
   <!ATTLIST testcasecustom
<!ELEMENT description
                                 key CDATA
                                                 #REQUIRED
                                  (#PCDATA)
   <!ELEMENT result
                                  (#PCDATA)
   <!ELEMENT bugid
                                  (#PCDATA)
   <!ELEMENT notes
                                  (#PCDATA)
   <!ELEMENT systeminfo
                                  (javaversion, osname, osversion, ilan, ipaddress?,
                                  vmflags*, osmode?, systeminfocustom*)
  <!ELEMENT javaversion
<!ELEMENT osname
                                  (#PCDATA)
                                  (#PCDATA)
   <!ELEMENT osversion
                                  (#PCDATA)
   <!ELEMENT ipaddress
                                  (#PCDATA)
  <!ELEMENT vmflags
<!ELEMENT osmode
                                  (#PCDATA)
                                  (#PCDATA)
   <!ELEMENT systeminfocustom (#PCDATA)
   <!ATTLIST systeminfocustom key
                                                #REQUIRED
                                       CDATA
                                  (locale, timezone?, language, encoding?, il8ncustom*)
   <!ELEMENT il8n
   <!ELEMENT locale
                                  (#PCDATA)
  <!ELEMENT timezone
<!ELEMENT language
                                  (#PCDATA)
                                  (#PCDATA)
   <!ELEMENT encoding
<!ELEMENT il8ncustom
                                  (#PCDATA)
                                  (#PCDATA)
   <!ATTLIST il8ncustom
                                       CDATA #REQUIRED
                                 key
```

F19. 5






FIG. 7

FIG. 8C

8026

8046 Tize

1900

```
<?xml version="1.0"?>
  802a ---- <rootreport>
<testarea>I18N</testarea>
                                                     , 806b
                   <testarea>AWT</testarea>
                   <testarea>Swing</testarea>
                   <toolname>Ugly Stick</toolname>
<tooldescription>Beaten</tooldescription>
                   <systeminfo>
                     <javaversion>Merlin B19</javaversion>
                     <osname>SunOS</osname>
      408
                     <osversion>2.8</osversion>
                     <ilBn>
                       <locale>US</locale>
                       <timezone>US/Pacific</timezone>
                       <language>en</language>
<encoding>UTF-8</encoding>
                     <ipaddress>129.145.160.72</ipaddress>
                   </systeminfo>
       f12 -- <testcase>
                     <testcasecustom key="yikes">hello</testcasecustom>
<description>none</description>
<result>FAIL</result>
                     <bugid>398434</bugid>
                     <notes>This is rad</notes>
                   </testcase>
                   <datestamp>Fri Nov 02 10:06:13 PST 2001</datestamp>
                   <executiontime>0:0:2</executiontime>
             </toolreport>
 802b
```

F13 9